

# Contents

## Volume 55 (1990)

### No. 1

G. Klose, A. Möps and K. Haage (Leipzig and Berlin, GDR) <i>Incorporation of phosphonic acid diesters into lipid model membranes Part I. Influence of the esters on the phase behaviour of egg yolk lecithin water systems and their orientational behaviour at low water content as seen by <math>^2\text{H}</math>- and <math>^{31}\text{P}</math>-NMR</i> .....	1
A. Beck, D. Heissler and G. Duportail (Strasbourg and Illkirch, France) <i>1-Palmitoyl-2-[3-(diphenylhexatrienyl) propanoyl]-sn-glycero-3-phosphoethanolamine as a fluorescent membrane probe. Synthesis and partitioning properties</i> .....	13
T.D. Minyailenko, V.P. Pozharov and M.M. Seredenko (Kiev, USSR) <i>Severe hypoxia activates lipid peroxidation in the rat brain</i> .....	25
G. Zolese, E. Gratton and G. Curatola (Ancona, Italy and Urbana, IL) <i>Phosphatidic acid affects structural organization of phosphatidylcholine liposomes. A study of 1,6-diphenyl-1,3,5-hexatriene (DPH) and 1-(4-trimethylammonium-phenyl)-6-phenyl-1,3,5-hexatriene (TMA-DPH) fluorescence decay using distributional analysis</i> .....	29
A.E. Kaufman, H. Goldfine, O. Narayan and S.M. Gruner (Philadelphia, PA and Princeton, NJ) <i>Physical studies on the membranes and lipids of plasmalogen-deficient <i>Megasphaera elsdenii</i></i> .....	41
R.M. Epand, R. Bottega and K. Robinson (Hamilton, Canada) <i>Cholesterol phosphate and cholesteryl pyrophosphate inhibit formation of the hexagonal phase</i> .....	49
T. Thuren, K.K. Eklund, J.A. Virtanen and P.K.J. Kinnunen (Helsinki, Finland) <i>Hydrolysis of supported pyrenephospholipid monolayers by phospholipase A<sub>2</sub></i> .....	55
<b>Short communications</b>	
A.S. Ulrich, F. Volke and A. Watts (Oxford, UK and Leipzig, FRG) <i>The dependence of phospholipid head-group mobility on hydration as studied by deuterium-NMR spin-lattice relaxation time measurements</i> .....	61
M. Mittelbach and N. Poklucar (Graz, Austria) <i>Ozonolysis of olefins, IV. Ozonolysis of polyunsaturated fatty esters in HCl/methanol</i> .....	67

### No. 2

C.J. Chapman, W.L. Erdahl, R.W. Taylor and D.R. Pfeiffer (Austin, MN and Norman, OK), <i>Factors affecting solute entrapment in phospholipid vesicles prepared by the freeze-thaw extrusion method: a possible general method for improving the efficiency of entrapment</i> .....	73
Z. Mirghani, D. Bertoia, A. Gliozzi, M. De Rosa and A. Gambacorta (Genoa and Naples, Italy), <i>Mono-polar-bipolar lipid interactions in model membrane systems</i> .....	85
I. Söderberg and H. Ljusberg-Wahren (Lund and Arlöv, Sweden), <i>Phase properties and structure of a monoglyceride/sucrose/water system</i> .....	97
E.M. Meier, D. Schummer and K. Sandhoff (Bonn, F.R.G.), <i>Evidence for the presence of water within the hydrophobic core of membranes</i> .....	103
T. Nishiya and A. Maeda (Montreal, Canada and Kyoto, Japan), <i>The use of circular dichroism active phospholipid to study bacteriorhodopsin-lipid interaction. Effects of lipid to protein ratio and cross-linkings of lysine residues</i> .....	115
L.J. Korstanje, K.A. Eikelenboom, C.S. van der Reijden, G. van Ginkel and Y.K. Levine (Utrecht, The Netherlands), <i>The effects of phosphatidylethanolamine and phosphatidylglycerol headgroups on bilayer dynamics: a slow motion ESR study</i> .....	123

P.-A. Bonnet, V. Roman, M. Fatome and F. Berleur (Gif-sur-Yvette and La Tronche, France), <i>Carboxylic acid or primary amine titration at the lipid-water interface: on the role of electric charges and phospholipid acyl chain composition. A spin labeling experiment</i> .....	133
T. Inoue, Y. Suezaki, K. Fukushima and R. Shimozaawa (Fukuoka and Saga, Japan), <i>Response of bilayer phase transition temperature of acidic phospholipids to cationic surfactants</i> .....	145
J.M. Zeidler, W. Zimmermann and H.J. Roth (Tübingen, F.R.G.), <i>Synthesis of azathia analogues of platelet activating factor with polyheterosidechains</i> .....	155
M. Kellens, W. Meeussen and H. Reynaers (Lueven and Izegem, Belgium), <i>Crystallization and phase transition studies of tripalmitin</i> .....	163
F. Tanfani, A. Ambrosini, G. Albertini, E. Bertoli, G. Curatola and G. Zolese (Ancona, Italy), <i>Interaction of the herbicide atrazine with model membranes I: physico-chemical studies on dipalmitoyl phosphatidylcholine liposomes</i> .....	179
W. Harbich and W. Helfrich (Berlin, F.R.G. and Santa Barbara, CA), <i>Phases of egg phosphatidylcholine in an abundance of water</i> .....	191
A. Giglioni, V. Chigorno, M. Pitto, M. Valsecchi, P. Palestini and R. Ghidoni (Milan, Italy), <i>Effect of the different supramolecular organization on the uptake and metabolism of exogenous GM1 ganglioside by human fibroblasts</i> .....	207

#### Short communication

F. Saucy, F. Ducet, P. Lambelet and J. Löliger (Lausanne, Switzerland), <i>The fate of antioxidant radicals during lipid autoxidation II. The influence of oxygen supply on lipid autoxidation</i> .....	215
--	-----

### No. 3

L. Cantù, M. Corti, S. Sonnino and G. Tettamanti (Milan and Pavia, Italy), <i>Evidence for spontaneous segregation phenomena in mixed micelles of gangliosides</i> .....	223
T.Y. Ahmad, J.D. Morrisett, H.J. Pownall, A.M. Gotto Jr., H.L. Brockman, H.Z. Sable, E.O. Lewis and A.J. Hancock (Houston, TX, Austin, MN, Cleveland, OH and Kansas City, MO), <i>Cyclopentanoid analogs of dipalmitoyl phosphatidic acid: effect of backbone geometry on thermotropic properties</i> .....	231
V. Micol, A. Ortiz and J.C. Gómez-Fernández (Murcia, Spain), <i>Factors contributing to the distribution of free fatty acids among phospholipid vesicles</i> .....	245
G. Vanderkooi (DeKalb, IL), <i>Comparison of energy-minimized structures of 2,3-dilauroyl-D-glycerol, 3-palmitoyl-DL-glycerol-1-phosphorylethanolamine and 1,2-dilauroyl-DL-phosphatidylethanolamine:acetic acid</i> ..	253
C.-j. Wang and H.-H. Tai (Lexington, KY), <i>A facile synthesis of an aldehydic analog of platelet activating factor and its use in the production of specific antibodies</i> .....	265
K. Mukai and M. Ishinaga (Hiroshima, Japan), <i>Effect of propylgallate on the thermotropic behavior of phospholipids</i> .....	275
P. Mariani, A. Colotto and G. Albertini (Ancona, Italy), <i>Low resolution X-ray diffraction study of dipalmitoyl phosphatidyl choline aqueous dispersions (with application to the case of tryptophan containing <math>L_p</math> phase)</i> .....	283
M. Yamaoka and M.J.H. Carrillo (Ibaraki, Japan and Manila, The Philippines), <i>Effect of tocopherols and tocotrienols on the physicochemical property of the liposomal membrane in relation to their antioxidative activity</i> .....	295
K. Arnold, S. Ohki and M. Krumbiegel (Leipzig, Germany and Buffalo, NY), <i>Interaction of dextran sulfate with phospholipid surfaces and liposome aggregation and fusion</i> .....	301
D.A. Mannock, R.N.A.H. Lewis and R.N. McElhaney (Edmonton, Canada), <i>The chemical synthesis and physical characterization of 1,2-di-O-acyl-3-O-(<math>\alpha</math>-D-glucopyranosyl)-sn-glycerols, an important class of membrane glycolipids</i> .....	309
J. Hajdu and J.M. Sturtevant (Northridge, CA and New Haven, CT), <i>Phospholipids showing complex bilayer phase transitions. II. Four sulfur-containing phosphatidylcholines</i> .....	323

- G. Albertini, C. Donati, R.S. Phadke, M.G. Ponzi Bossi and F. Rustichelli (Ancona, Italy and Bombay, India), *Thermodynamic and structural effects of propranolol on DPPC liposomes* ..... 331
- D. Collins, J. Connor, H.-P. Ting-Beall and L. Huang (Knoxville, TN and Durham, NC), *Proton and divalent cations induce synergistic but mechanistically different destabilizations of pH-sensitive liposomes composed of dioleoyl phosphatidylethanolamine and oleic acid*..... 339

#### Short communication

- J.-L. Eisele, J.-M. Neumann and C. Chachaty (Paris and Gif-sur-Yvette, France), *Short chain phospholipids in membrane protein crystallization: A  $^{31}\text{P}$ -NMR study of colloidal properties of dihexanoyl phosphatidylcholine* ..... 351

- Subject Index — Volume 55 ..... 355
- Author Index — Volume 55 ..... 359
- Contents — Volume 55 ..... 361

